


Pro Microphone Mixer

Model No.	HT-2000A	HT-2000B
Parameter		
Input Power	AC 110/220V 50Hz	AC 110/220V 50Hz
Compatible	Microphone without phantom power 48V	Microphone without phantom power 48V
Connection Type	Φ6.35×12	Φ6.35×12
N.W.	1.84 kg	2.5 kg
Dimension (L×W×H)mm	412×175×44	430×178×62
Input Type	Microphone Φ6.35	Microphone Φ6.35
Output Type	RCA	RCA
Consumption	5W	5W
Switcher/Indicator		Mute switch and indicator of each channel
color	Gold	Gold



HT-1200



HT-606



HT-1010

Pro Microphone Mixer

Model No. Parameter	HT-1010	HT-606	HT-1200
Input Power	AC 110/220V 50Hz	AC 110/220V 50Hz	AC 110/220V 50Hz
Output Power	Phantom power 48V	Phantom power 48V	Phantom power 48V
Output Current	6.5mA	6.5mA	6.5mA
Compatible	Microphone with/without phantom power 48V	Microphone with/without phantom power 48V	Phantom power 48V microphone
Connection Type	Φ6.35×10 XLR×10	Φ6.35×6 XLR×6	XLR×12
N.W.	3.03 kg	2.94 kg	2.10 kg
Dimension (L×W×H)mm	425×178×71	425×178×71	420×205×44
Input Type	Φ6.35/XLR/RCA	Φ6.35/XLR/RCA	XLR/RCA
Consumption	12W	10W	10W
Color	Black	Black	Black


HT-2900

HT-2800
Pro Microphone Mixer

Model No. Parameter	HT-2800	HT-2900
Input Power	AC 110/220V 50Hz	AC 110/220V 50Hz
Output Power	Phantom power 48V	Phantom power 48V
Output Current	6.5mA	6.5mA
Compatible	Microphone with / without phantom power 48V	Microphone with / without phantom power 48V
Connection Type	XLR×10	XLR×10
N.W.	2.72 kg	2.75 kg
Dimension (L×W×H)mm	420×205×44	420×205×44
Input Type	XLR	XLR
Output Type	RCA/XLR	Φ6.35
Consumption	12W	12W
Features	Chairman Mic×2 Delegate Mic×8 Voice control	Delegate Mic×10 Voice control Video camera auto-track
Color	Black	Black